

TECHNICAL DATASHEET

REFERENCE: E2117-00X

Old référence :

ALUMINIZED COAT

Description:

made of carbon fiber / aluminized para-aramid 340g / m².50mm wide flame retardant self-gripping side fastener - KEVLAR® wire seams.unlined version.



Recommandation

Dimensions: de 100cm à 160cm

Sizes availaible S M L XL XXL XXL

body and arm protection against thermal risks (flames, convective and radiant heat, projection of molten metal)

The materials of this article do not contain any substance that can harm the health of the user

This PPE is in conformity with the requirements of the Directive 89/686/CEE. PPE class III, AET N°033/2017/0381CENTEXBEL

The CE marking on these items means the respect for the essentials requirements of European Directive on PPE based on the standard ISO 13688



A1 B1 C3 D3 E3 F0

A Limited flame spread
B Convective Heat
C Radiant Heat

ISO 11612

C Radiant Heat (1 à 4)
D Projection of molten aluminium (1 à 3)
E Projection of molten iron (1 à 3)
F Contact Heat (1 à 3)

(1 à 3)

Use only within the risks covered above






A dirty clothe may cause a reduced protection/ no washing recommended, clean with a damp sponge

Storage: Protected from the light and in a dry place, free of moisture, oils, greases...

<u>Recommandation</u>: to ensure optimal protection, this equipment must be worn closed and supplemented with appropriate PPE (gaiters, gloves, hood, IR screen) and worn on flame retardant clothing



Coat/Apron

<u> </u>				
Lenght	Α		Sizes	B et C
120 cm	164-170 cm		S – T2	92-96 cm
130 cm	170-182 cm		M – T3	96-104 cm
140 cm	182-188 cm		L – T4	104-112 cm
150 cm	188-194 cm		XL – T5	112-120 cm
160 cm	194-200 cm		XXL – T6	120-128 cm

For coveralls, take the greatest size between **B** or **C**. The measures must be taken on the person wearing his work clothes, because this equipment is worn over. In doubt between two sizes choose the larger one.